




SWISS TOOL SELECTION GUIDE



ABOUT





KOMA PRECISION


For over thirty years Koma Precision has been the foremost source for the finest the world has to offer in machine tool Productivity Innovation.






With over 30,000 rotary table installations, Koma is the largest distributor of Tsudakoma NC rotary tables and indexers in the world. With over 12,000 angle heads and live tools installed, Koma is the world's largest supplier for Alberti - the originator and the foremost innovator of productivity tooling.






MIYANO SWISS TOOLING

		TOOL HOLDER			
		AXIAL DRIVEN	RADIAL DRIVEN (Dual Output)	RADIAL DRIVEN	RADIAL DRIVEN
					
BNA-42S		BMT3810101603700	BMT3840101602200	BMT3820111603700	BMT3822112003700
	Output	ER-16A	ER-16A	ER-16A	ER-20
	Ratio	1:1	1:1	1:1	1:1
	RPM	8,000	6,000	6,000	6,000




		TOOL HOLDER
		RADIAL DRIVEN
		
BNA-34/42/C/S		BMT3820101602200
	Output	ER-16A
	Ratio	1:1
	RPM	6,000





KOMA KOMAPRECISION.COM		TOOL HOLDER						
		AXIAL DRIVEN		AXIAL DRIVEN (Coolant Thru Avail- able)	RADIAL DRIVEN (Coolant Thru Avail- able)		UNIVERSAL DRIVEN Adjustable ± 90°	AXIAL DRIVEN (Dual Output)
								
BNE-51SY BNE-64SY		BMT4511110405500					BMT4530101605500 BMT4542101105500	
	Adaptor Type	SG4	SG4	SG4	Output	ER-16A	ER-11	
	Ratio	1:1	1:1	1:1	Ratio	1:1	1:2	
	RPM	6,000	6,000	6,000	RPM	6,000	12,000	


		TOOL HOLDER	
		AXIAL DRIVEN	RADIAL DRIVEN
			
BNE-51SY	Adaptor Type	BMT4521110407600	
BNE-64SY	Ratio	SG4	SG4
	RPM	1:1	1:1
		6,000	6,000

		TOOL HOLDER
		RADIAL DRIVEN (Coolant Thru Available)
		
BNJ-42SY		BMT4521310411600
	Adaptor Type	SG4
	Ratio	1:1
	RPM	4,000

MIYANO SWISS TOOLING

		TOOL HOLDER			
		AXIAL DRIVEN	RADIAL DRIVEN (Coolant Thru Avail-)		UNIVERSAL DRIVE- EN
BND-51SY					
		BMT4521310408100			BMT4530301608100
		SG4	SG4	Output	ER-16A
		Ratio	1:1	Ratio	1:1
		RPM	6,000	RPM	6,000

SG4 SG5 ER COLLET CHUCK ADAPTOR						
		ER-11	ER-16 (Short)	ER-16	ER-20	ER-25
						
SG4	Length	37.3 mm	29.5 mm	39.5 mm	36.0 mm	38.0 mm
	Diameter	42.0 mm	42.0 mm	42.0 mm	42.0 mm	42.0 mm
SG5	Length	37.3 mm	29.5 mm	39.5 mm	38.0 mm	36.0 mm
	Diameter	50.0 mm	50.0 mm	50.0 mm	50.0 mm	50.0 mm

SG4 SG5 FACE MILLING ADAPTOR					
					
		SG4316000		SG5322000	
SG4	L	47.0 mm	SG5	L	55.0 mm
	L1	17.0 mm		L1	19.0 mm
	B	6.0 mm		B	6.0 mm
	D	16.0 mm		D	22.0 mm
	D1	42.0 mm		D1	50.0 mm

