

Specsheet

ACS 1600 O3 digital



Material:	chrome nickel steel 1.4301
Niche capacity:	3x Varithek table top system modules (type V-AST200-OF) with varithek elements type 2.0-1/1 or for 3x varithek elements type V-400 or 1x varithek element V-800 (without system module)
Niche dimensions (LxWxD)	approx. 1210 x 650 x 250 mm
Useable depth:	210 mm
Gantry:	Above 4mm s/s board, below s/s light guides with built-in LED lighting, on guest side sneeze guard made of VSG fixed glazed, sneeze guard on front side removable for cleaning
Extraction:	three-sided
Extraction system/filters:	active carbon filter, cyclone filter, plasma technology
Compartments:	2
Support rails:	8 pair deep-drawn
Rail clearance:	37 mm
Capacity:	GN containers or s/s grilles up to GN 1/1
Hygienic standard:	H3
Temperature range cooled compartment:	From +2 °C up to +10 °C
Temperature range heated compartment:	From +30 °C up to 110 °C

Technical modifications and errors excepted

Sockets:	3x 230 V shockproof 2x 400 V CEE
Digital control:	<ul style="list-style-type: none">- extraction capacity in 4 steps- Error display- Consumption of filter (active carbon filter) display (degree of wear)- LED lights in different colours signals operating status- Operating hours counter
Casters:	diam. 125 mm
Connected value:	max. 22 kW
Rated voltage:	3N AC 400 V 50/60 Hz, 32A
Protection class:	IP X4

ACS meets the requirements of VDI 2052 (ventilation systems). Tested according to DIN EN 60335-1 and EN 60335-2-99. All components comply with the DIN and VDE guidelines as well as the German regulations governing health and safety in the kitchen. According to the German Food Hygiene Ordinance the appliance must be fitted with a germ guard when being used for display cooking.

Item No.:	91140407
Description:	acs 1600 O3 W/K digital
Compartments:	1x hot 1x cold
Length x Width x Height:	1664 x 850 x 1300 mm
Weight:	approx. 237 kg
Item No.:	91140409
Description:	acs 1600 O3 N/N digital
Compartments:	2x neutral
Length x Width x Height:	1664 x 850 x 1300 mm
Weight:	approx. 232 kg
Item No.:	91140410
Description:	acs 1600 O3 N/W digital
Compartments:	1x hot 1x neutral
Length x Width x Height:	1664 x 850 x 1300 mm
Weight:	approx. 237 kg
Item No.:	91140412
Description:	acs 1600 O3 N/K digital
Compartments:	1x neutral 1x cold
Length x Width x Height:	1664 x 850 x 1300 mm
Weight:	approx. 237 kg
Item No.:	91140408
Description:	acs 1600 O3 W/W digital
Compartments:	2x hot
Length x Width x Height:	1664 x 850 x 1300 mm
Weight:	approx. 237 kg
Item No.:	91140411
Description:	acs 1600 O3 K/K digital
Compartments:	2x cold
Length x Width x Height:	1664 x 850 x 1300 mm
Weight:	approx. 237 kg