

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 10.01.2018

Version number 17

Revision: 10.01.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: 49AP508 ALPHA foil Black**
- **MSDS no.** 198,789
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Printing inks
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
hubergroup Deutschland GmbH
Bremer Weg 125
D-29223 Celle
- **Informing department:**
Product Safety hubergroup
Telefon: + 49 89-9003-220
Telefax: + 49 89-9003-500
E-mail: product-safety@hubergroup.com
- **1.4 Emergency telephone number:**
During general business hours: Product Safety Division, Extension 220 or 444
During general business hours: Product Safety Division, Extension 220 or 444

Tel. +49-514191-0
Fax. +49-514191-202

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard statements**
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
Contains Cobalt(II) 2-ethylhexanoate. May produce an allergic reaction.
- **2.3 Other hazards** This information is provided by the present Material Safety Data Sheet.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 10.01.2018

Version number 17

Revision: 10.01.2018

Trade name: **49AP508 ALPHA foil Black**

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Dangerous components:**

Substances presenting a health or environmental hazard within the meaning of Regulation (EC) No. 1272/2008, assigned a Community workplace exposure limit, classified as PBT/vPvB or included in the Candidate List

CAS: 13434-24-7	Manganese bis(2-ethylhexanoate)	1-2.5%
EINECS: 236-562-0	Repr. 2, H361d; STOT RE 2, H373; Aquatic Chronic 2,	
Reg.nr.: 01-2119979087-23-XXXX	H411; Eye Irrit. 2, H319	
CAS: 136-52-7	Cobalt(II) 2-ethylhexanoate	≥0.25-<1%
EINECS: 205-250-6	Repr. 2, H361; Aquatic Acute 1, H400; Skin Irrit. 2, H315;	
Reg.nr.: 01-2119524678-29-xxxx	Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 1314-13-2	Zinc oxide	≥0.1-<0.25%
EINECS: 215-222-5	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information** In all cases of doubt, or when symptoms persist, seek medical advice.

- **After inhalation**

Remove to fresh air.

Keep patient warm and at rest.

- **After skin contact**

Remove contaminated clothing immediately. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

- **After eye contact**

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses. Obtain medical attention.

- **After swallowing** Do NOT induce vomiting. Obtain medical attention.

- **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents** Alcohol resistant foam, CO₂, powders, water spray.

- **For safety reasons unsuitable extinguishing agents** Water jet.

- **5.2 Special hazards arising from the substance or mixture**

Appropriate breathing apparatus may be required.

Cool closed containers exposed to fire with water.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.01.2018

Version number 17

Revision: 10.01.2018

Trade name: 49AP508 ALPHA foil Black

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information** Collect run-off from fire fighting.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ventilate the area.
- **6.2 Environmental precautions:**
Do not allow to enter drains. If the product contaminates rivers and lakes or sewers inform respective authorities.
- **6.3 Methods and material for containment and cleaning up:**
Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local regulations. Clean preferably with a detergent. Avoid use of solvents.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Avoid inhalation of vapour. Smoking, eating and drinking should be prohibited in application area. For personal protection see Section 8. Comply with health and safety at work laws. Avoid concentrations higher than the occupational exposure limits (see Section 8), if applicable.
- **Information about protection against explosions and fires:**
Clothes and rags contaminated with ink, lacquer or oxidatively drying oil may cause self ignition. Keep them in closed and fireproof containers.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Keep container tightly closed. No smoking.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- **Further information about storage conditions:**
Always keep in containers of the same material as the original one. Store in a dry, well ventilated place. Keep away from heat and direct sunlight. Store in accordance with the particular national regulations concerning water pollution.
Note Instructions on the label.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:**
If relevant apply technical measures to comply with the occupational exposure limits. This can be by a good general extraction and-if practically feasible, be achieved by local exhaust ventilation.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 10.01.2018

Version number 17

Revision: 10.01.2018

Trade name: 49AP508 ALPHA foil Black

(Contd. of page 3)

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**
Numerical data - if specified - are taken from the valid national lists.

- **DNELs**

13434-24-7 Manganese bis(2-ethylhexanoate)

Dermal DNEL workers 12 mg/kg bw/d (human) (chronic; systemic)

Inhalative DNEL workers 32 mg/m³ (human) (chronic; systemic)
1314-13-2 Zinc oxide

Dermal DNEL workers 83 mg/kg bw/d (human) (chronic; systemic)

Inhalative DNEL workers 5 mg/m³ (human) (chronic; systemic)

- **PNECs**

13434-24-7 Manganese bis(2-ethylhexanoate)

PNEC 1.06 mg/kg (soil)

PNEC STP 71.7 mg/l (STP)

136-52-7 Cobalt(II) 2-ethylhexanoate

PNEC 10.9 mg/kg (soil)

PNEC STP 0.37 mg/l (STP)

1314-13-2 Zinc oxide

PNEC 35.6 mg/kg (soil)

PNEC STP 0.1 mg/l (STP)

- **8.2 Exposure controls**

- **Personal protective equipment**

- **Breathing equipment:**

The use of respiratory protective measures, such as masks with filters for organic Vapours and dusts / mists are, in the absence of appropriate technical equipment, necessary for the protection of the employee. If exposure is above the exposure limit, then an appropriate, approved respirator must be worn. Please refer to the appropriate EU standard 14387.

- **Protection of hands:**

For prolonged or repeated contact use gloves.

Barrier creams may help to protect exposed skin, they should however not be applied once have come into contact with the product.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

Applicable for example are gloves of KCL GmbH, D 36124 Eichenzell, e-mail: vertrieb@kcl.de with following specification (Laboratory test according EN 374)

Recommend protective glove:

Article / Name /Material / Thickness Material / Breakthrough Time Remarks

Nr. 730/ Camatril Velours / Nitril / 0,4 mm Level 6 > 480 min. by full contact

Nr. 743/ Dermatril / Nitril / 0,2 mm Level 2 > 30 min. by splash contact

This recommendation is only for the product delivered by us and its intended purpose.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 10.01.2018

Version number 17

Revision: 10.01.2018

Trade name: 49AP508 ALPHA foil Black

(Contd. of page 4)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **Eye protection:** Use safety eyewear designed to protect against splash of liquids.
 - **Body protection:**
Working clothes must not consist of textiles which show a dangerous melting behaviour in case of fire. All parts of the skin should be washed after contact.
-

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - **Form:** Solid according ADR Annex 2.3.4 or ASTM D 4359-90
 - **Colour:** according to the tradename of the product
- **Smell:** characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
 - **Melting point/freezing point:** not determined
 - **Flash point:** >100°C
- **Inflammability (solid, gaseous)** Not applicable.
- **Ignition temperature (Main Solvent):**
 - **Decomposition temperature:** Not determined.
- **Self-inflammability:** Not determined.
- **Explosive properties:** Not determined.
- **Critical values for explosion:**
 - **Lower: approx.** Not determined.
 - **Upper: approx.** Not determined.
- **Vapour pressure:** Not determined.
- **Density at 20°C** 1.05 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with**
 - **Water:** partly or not miscible
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
 - **dynamic:** Not determined.
 - **kinematic:** Not determined.
- **Organic solvents:** <0.1 %
- **Solid content:** 53.9 %

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 10.01.2018

Version number 17

Revision: 10.01.2018

Trade name: **49AP508 ALPHA foil Black**

(Contd. of page 5)

· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** No further relevant information available.
- **10.3 Thermal decomposition / conditions to be avoided:**
Stable under recommended storage and handling conditions (see section 7).
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Keep well away from oxidising agents and strongly alkaline or strongly acid materials in order to avoid exothermic reactions.
- **10.6 Hazardous decomposition products:**
Exposition to high temperatures may produce hazardous decomposition products such as: carbon dioxide, carbon monoxide and smoke.

SECTION 11: Toxicological information

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in skin dryness. The product may be absorbed through the skin.

The liquid splashed in the eyes may cause irritation and reversible damage.

- **11.1 Information on toxicological effects**
- **Acute toxicity** No data available
- **LD/LC50 values that are relevant for classification:**
 - 13434-24-7 Manganese bis(2-ethylhexanoate)**
 - Oral LD50 >3,000 mg/kg (rat)
 - Dermal LD50 >5,000 mg/kg (rat)
 - Inhalative LC50 >4,450 mg/m³ (rat)
 - 136-52-7 Cobalt(II) 2-ethylhexanoate**
 - Oral LD50 3,129 mg/kg (rat)
 - Dermal LD50 >5,000 mg/kg (rat)
 - 1314-13-2 Zinc oxide**
 - Oral LD50 >5,000 mg/kg (rat)
 - Dermal LD50 >2,000 mg/kg (rat)
 - Inhalative LC50 >5,700 mg/m³ (rat)
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 10.01.2018

Version number 17

Revision: 10.01.2018

Trade name: 49AP508 ALPHA foil Black

(Contd. of page 6)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

The Product should not be allowed to enter drains of water courses or soil.

· **12.1 Toxicity**· **Aquatic toxicity:****13434-24-7 Manganese bis(2-ethylhexanoate)**

Fish toxicity >100 mg/l (fish) (LC50; 96 h)

Daphnia toxicity 13.7 mg/l (daphnia) (LC50; 96h)

Algae toxicity 61 mg/l (algae) (EC50; 72 h)

136-52-7 Cobalt(II) 2-ethylhexanoate

Fish toxicity 275 mg/l (fish) (LC50; 96 h)

Daphnia toxicity 2.618 mg/l (daphnia) (EC50; 48 h)

Algae toxicity 0.2831 mg/l (algae) (EC50; 72 h)

1314-13-2 Zinc oxide

Fish toxicity 0.7 mg/l (fish) (LC50; 96 h)

Daphnia toxicity 2.6 mg/l (daphnia) (EC50; 48 h)

Algae toxicity 0.1 mg/l (algae)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**· **Remark:** Harmful to fish· **Additional ecological information:**· **General notes:** Harmful to aquatic organisms· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· **Recommendation** Do not allow to enter drains.· **European waste catalogue** 08 03 12: waste ink containing dangerous substances· **Uncleaned packagings:** Waste· **Recommendation:**

Emptied containers should be disposed off into scrap recycling or reconditioning respectively.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 10.01.2018

Version number 17

Revision: 10.01.2018

Trade name: 49AP508 ALPHA foil Black

(Contd. of page 7)

Not orderly emptied cans and ink remnants are special waste.

SECTION 14: Transport information

Not classified according to transport regulations for dangerous goods (like ADR/RID, IMDG and ICAO/IATA).

- **14.1 UN-Number**
- **ADR, ADN, IMDG, IATA** -
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** -
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** -
- **14.4 Packing group**
- **ADR, IMDG, IATA** -
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- **UN "Model Regulation":** -

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
The product is subject to classification in accordance with the prevailing version of the regulations on hazardous materials.
- **VOC-Content (EU):** 0.10 %
- **Swiss VOC-Regulation** 0.00 %
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information on this Safety Data Sheet is based on the present state of our knowledge and on current EU and national laws. The user's working conditions are beyond our knowledge and control. It is always the responsibility of the user to take all necessary steps in order to fulfil the demands laid down in the local rules and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the product's properties.

- **Relevant phrases**
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 10.01.2018

Version number 17

Revision: 10.01.2018

Trade name: 49AP508 ALPHA foil Black

(Contd. of page 8)

- H361 Suspected of damaging fertility or the unborn child.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

• **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- Repr. 2: Reproductive toxicity – Category 2
- Repr. 2: Reproductive toxicity – Category 2
- STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

• *** Data compared to the previous version altered.**
