

Ambu[®] Man Defib



Arms and legs optional available

Key features

- Latest Ambu Wireless Technology
- Robust and durable
- Individually programmable scenarios
- Browser-based Ambu Manikin Management Module for control, documentation and monitoring
- Defibrillation
- Adjustable chest stiffness
- Ambu hygienic system for mouth-to-mouth and mouth-to-nose ventilation
- Airways open only with correct hyperextension
- Transport bag with integrated practice mat and backpack function



AmbuMan Defib

The AmbuMan Defib combines the basic function of AmbuMan Wireless with the additional option for early defibrillation. The AmbuMan Defib is equipped with the proven Ambu hygienic system to avoid cross-contamination.

Ambu Manikin Management Module

The core is the AmbuMan with the latest, integrated Ambu Wireless Technology. The browser-based Ambu Manikin Management Module allows the wireless control, documentation and monitoring of the trainee's performance. The Ambu Manikin Management Module is the central interface, where all data and information come together: compression depth, correct hand position, ventilation volume, stomach inflation.

Defibrillation and ECG

The apex and sternum electrodes can be defibrillated with up to 360 joules. By using the appropriate adapters, manual and automatic biphasic defibrillators from various manufacturers can be connected.

Monitoring instrument

The indicator shows the instructor, the volume of supplied air (in L) and the chest compression depth (in mm). Furthermore, it visualises the compression with wrong hand position and a gastric inflation with a warning symbol.

Carotid pulse

The carotid pulse can be felt during chest compression. It can also be simulated by a manual pulse bellow.

Specifications

| | | |
|--------------------------------|---|---|
| Connectivity | ✓ | WLAN or LAN Ambu Wireless Technology built on latest generation of Intel WLAN Modules |
| Ambu Manikin Management Module | ✓ | Operating system independent and browser-based control, programmable scenarios, individual documentation for up to 4 participants, parallel display and control of up to 6 manikins, parallel multiple access of various devices for visualization of the performance |
| Power supply | ✓ | AC adapter, Battery pack or PoE (optional, not included in packaging) |
| Defibrillation | ✓ | Equipped with two electrodes (apex and sternum) that can be defibrillated with up to 360 joules. In addition to the use of manual, semi-automatic and automatic defibrillators, paddles can be used. |
| Pacing | ✓ | Possibility for transcutaneous pacing |
| Manual feedback display | ✓ | Extendable Ventilation volume, compression depth, hand position, stomach inflation |

Technical data

| | |
|---------------------------------|--------|
| Weight torso with transport bag | 12 kg |
| Length torso | 80 cm |
| Length fullbody | 165 cm |

Order information

| Item number | Description |
|--------------------|---|
| A 265 407 000 | AmbuMan Defib, Torso, Integrated Ambu Wireless Technology, Ambu Manikin Management Module 5 Ambu face pieces, 100 disposable head bags, Transport bag / practice mat |
| Spare parts | |
| 234 000 077 | Battery Pack |
| A 255 001 000 | Ambu i.v.-Arm |
| 234 000 706 | Upgrade Kit fullbody |
| 234 000 702 | Ambu head bags, disposable (set of 100) |
| 234 000 703 | Ambu face pieces (set of 5) |
| 234 000 725 | Ambu Guedel face piece (set of 5) |
| 234 000 794 | Transport bag / practice mat |



AmbuMan Defib Torso



Monitoring instrument



Ambu Manikin Management Module



Transport bag (practice mat incl.)

Ambu A/S
Baltorpbakken 13
DK - 2750 Ballerup
Denmark
Tel. +45 7225 2000
Fax +45 7225 2053
www.ambu.com